Isolation & Quarantines per CDC Guidance

Testing Positive for COVID

If you test positive for COVID...Isolate

EVERYONE, regardless of vaccination status

- > Stay home for 5 day
- If you have no symptoms or your symptoms are resolving after 5 days, you can leave your house
- Continue to wear a mask around others for 5 additional days

If you have a fever, continue to stay home until your fever resolves.

Exposure to Someone with COVID

Fully Vaccinated Individuals (new definition)

Boosted

OR

Completed the primary series of Pfizer or Moderna vaccine within the last 6 months (not yet eligible for your booster)

OR

Completed the primary series of J& J vaccine within the last 2 months (not yet eligible for your booster)

COURSE OF ACTION

- No quarantine
- Wear a mask around others for 10 days
- > Test on day 5, if possible
- DISTRICT EXPECTATION: rapid testing required for anyone who was a contact. Please report to Mrs. Porter the morning of day 6 prior to school starting

If you develop symptoms get a test and stay home.

NOT Fully Vaccinated Individuals

COURSE OF ACTION

- Quarantine for 5 days
- Wear a mask around others for an additional 5 days
- > Test on day 5, if possible
- DISTRICT EXPECTATION: rapid testing required for anyone who was a contact. Please report to Mrs. Porter the morning of day 6 prior to school starting

If you develop symptoms quarantine immediately and test.

If at any time you develop symptoms, please notify Mrs. Porter

Who Can Get a Booster Shot

IF YOU RECEIVED

Pfizer-BioNTech

Who should get a booster:

Everyone 12 years and older

When to get a booster:

At least 5 months after completing your primary COVID-19 vaccination series

Which booster can you get:

- Pfizer-BioNTech or Moderna (mRNA COVID-19 vaccines) are preferred in most* situations
- Teens 12–17 years old may only get a Pfizer-BioNTech COVID-19 vaccine booster

IF YOU RECEIVED

Moderna

Who should get a booster:

Adults 18 years and older

When to get a booster:

At least 6 months after completing your primary COVID-19 vaccination series

Which booster can you get:

• Pfizer-BioNTech or Moderna (mRNA COVID-19 vaccines) are preferred in most* situations

IF YOU RECEIVED

Johnson & Johnson's Janssen*

Who should get a booster:

Adults 18 years and older

When to get a booster:

At least 2 months after receiving your J&J/Janssen COVID-19 vaccination

Which booster can you get:

• Pfizer-BioNTech or Moderna (mRNA COVID-19 vaccines) are preferred in most* situations

^{*}Although mRNA vaccines are preferred, J&J/Janssen COVID-19 vaccine may be considered in some situations.